

SHOP ALL

BUY FOR BUSINESS

FREE CATALOG

CONTACT US

AMSOIL SHOCK FLUIDS REPLACE THESE PRODUCTS



| Shock The | erapy [®] Light #5 Suspension Fluid (STL) |
|---------------|--|
| Bel-Ray* Fo | rk 5W |
| Bel-Ray HVI | Racing Suspension Fluid 3W |
| Bel-Ray HVI | Racing Suspension Fluid 5W |
| Bilstein* Bil | mst 3030KYB |
| Fuchs Silkol | lene* Pro RSF |
| Golden Spe | ctro* Very Light |
| Klotz* 5W | |
| KYB* | |
| KYB K2C | |
| Maxima* 75 | 5-390 Racing Shock Fluid Light 3 wt. |
| Maxima 85- | -150 Racing Fork Fluid 5W |
| Maxima Sho | ock Fluid |
| Ohlins* For | k #5 |
| PJ1* Fork O | il |
| Pro Circuit* | PC-01 Fork Fluid |
| Pro Circuit I | PC-02 Racing Shock Fluid |
| Pro Honda* | ^t High Performance SS-25 Shock Oil |

| Race Tech* Light |
|--|
| Race Tech US-1 Ultra Slick Shock Fluid 2.5-5 wt. |
| RaceTech USF-05 Ultra Slick Fork Fluid 5W |
| Redline* Light |
| RI* Suspension Fluid |
| Ryde FX* Slide Shock Oil |
| Showa* SS05 |
| SLP* Light |
| Spectro* SPL Ultra Light |

Use Shock Therapy Light #5 in applications that require any of the following specifications:

- Denison* HF-0, HF-1, HF-2
- Racine* Variable Vane Pump
- Lee Norse* 100-1
- DIN 51524 Part 2
- Ford* M6C-32
- Afnor* E 48-603
- BF Goodrich* 0152 (except PM 500 Series)

Shock Therapy® Medium #10 Suspension Fluid (STM)

Bel-Ray Fork 10W

Bel-Ray HVI 10W

Fox* Racing Oil

Fuchs Silkolene (AMSOIL STM will give slower rebound than Fuchs)

Harley-Davidson* Screaming Eagle Performance Fork Oil Heavy (Shock Therapy #10 will have a faster rebound than Harley Heavy Fork Oil)

Harley-Davidson Type B

Harley-Davidson Type E

Klotz 10W Spectro SK400 Shock & Fork Oil

Maxima 111-390 Racing Shock Fluid Medium 7 wt.

Maxima Fork Oil 10

Ohlins Fork Fluid #15

Pro Honda SS-8 Suspension Fluid 10W

Redline Medium

Spectro Fork Oil 10W

Spectro SK400 Shock & Fork Oil

Use Shock Therapy Medium #10 in applications that require any of the following specifications:

• Denison HF-0, HF-1, HF-2

Spectro SPL Very Light

- Racine Variable Vane Pump
- Lee Norse 100-1
- DIN 51524 Part 2
- Ford M6C-32
- Afnor E 48-603
- BF Goodrich 0152 (except PM 500 Series)

^{*} All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.